

# T2S — R2W. 2<sup>nd</sup> Mer.

6	200	5	198	4	196	3	204	2	204	1	199	212
203		203		202		200		204	205		208	
7	201	8	198	9	196	10	197	11	205-208	12	199	
204		203		203		203		205-209		208		
18	201	17	199	16	196	15	197	14	209	13	191	
208		201		199		206		206-209		209		
19	201	20	199	21	196	22	198	23	209	24	192	
207		202		207		206		206-210		211		
30	207	29	199	28	197	27	210-198	26	210	25	192	
207		202		202		200-211		210		211		
31	207	32	200	33	197	34	211	35	212	36	192	
194		194		194		194		193		193		

# T3S — R2W. 2<sup>nd</sup> Mer.

6	235	5	232	4	229	3	220	2	217	1	213	
229		232		234		230-220		221		217		
7	235	8	232	9	223-230	10	221	11	218	12	213	
236		230		230-224		223		221		218		
18	231	17	233	16	224	15	222	14	218	13	213	
235		234		234-224		224		222		219		
19	231	20	233	21	224	22	222	23	219	24	214	
235		234		234-225		225		227		227		
30	231	29	226-233	28	225	27	223	26	219	25	214	
232		233-226		226		226		229		229		
31	231	32	228	33	228	34	228	35	227	36	214	
217		216-217		216		216		215		215		

Township N<sup>o</sup> 3 South of Range N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

East Boundary

South On East Boundary of Sec. 1

31.50 a Run 4 links wide Course S. E.

40.00 Set quarter sec post from which a Logwood 8  
in. diam. bears N 54 E. 16 links dist; a Beech 19  
" " " S 52 W 40 " "

59.56 a Run 20 in. diam.

80.00 Set post corner of Sec. 1 & 12 T. 3 S. R. 2 W from  
which a W Oak 18 in. diam. bears N 55 W 39  
lks dist. Do 16 " " " S 47 W 19

" " This mile broken ridges; Timber W.  
Oak Hickory, Chestnut, Gum Thick underwood,  
brus vines &c.

South On East Boundary of Sec. 12

41.00 Set quarter sec post from which an Oak 12 in.  
diam. bears S 28 W. 23 links dist; & a Beech 6  
" " N 31 W 8 " "

45.50 Run 10 links wide Course S. E.

75.00 a Brook 15 " " " East

80.00 Set post corner Sec. 12 & 13. T. 3 S. R. 2 W. 2<sup>nd</sup> Mer.  
from which a W. Oak 24 in. diam. bears N 72 W 53  
lks dist; & a Beech 14 " " " S 28 W 43

" " This mile hilly 2<sup>nd</sup> rate uplands -  
Timber Oak Hickory, Sugar tree, Beech, Poplar  
Undergrowth Maple & Sassafras; many brus & vines

South On E. boundary of Sec. 13, T. 3 S. R. 2 W

22.38 a W. Oak 15 in. diam.

40.00 At the q. Sec. post, from which

a Run 10 in. diam. bears N 58 W 24 lks. dist &

a Dogwood 7 " " " S 28 W 39 " "

56.50 a run 8 lks. wide Course East

57.80 a Run 9 in. diam.

80.00 At a post cor. to Sec. 13 & 24, T. 3 S. R. 2 W. from which

a W. Oak 13 in. diam. bears N 55 W 43 lks. dist &

a Beech 7 " " " S 62 W 52 " "

T. N<sup>o</sup> 3 E. R. N<sup>o</sup> 2 W 2<sup>nd</sup> Mer

This mile poor hilly land, Oak, Hickory, Gum, Beech &c

South	On Eastern Boundary of Sec. 24.
14.00	Long bed of a run 15 links wide Course East
29.05	a W. Oak 16 in. diam.
40.00	Set 1/2 mile post from which a Gum 18 in. diam. bears N 39 W. 30 lks dist. of a Logwood 6 " " " S 44 W 17 " " "
57.03	a W. Oak 12 in. diam.
80.00	Set post corner of Sec. 24 + 25 T 3 E. R. 2 W from which a W. Oak 12 in. diam. bears S 67 W 18 lks dist; & " Poplar 14 " " " S 48 W 60 " " This mile hilly stony ridge & W. Oak, Hick. & W. Oak; Beech & Sandpiper

South	On East Boundary of Sec 25
19.48	a W Oak 20 in. diam.
40.00	Set quarter Sec. post from which a W. Oak 8 in. diam. bears N 52 W 25 links dist; a Beech 8 " " " S 30 1/2 W 26 " " " This half mile broken stony ridge. Timber Oak, Hick. & Logwood Beech &c
42.50	a Run 10 links wide; Course S. E.
67.37	a W Oak 12 in. diam.
80.00	Set post corner of Sec. 25 & 36. T 3 E. R. 2 W from which a Logwood 8 in. diam. bears N 54 W 25 links dist and a W Oak 14 " " " S 58 W 50 " " " This mile 2 <sup>nd</sup> rate land; Oak Hickory, Poplar Gum Beech &c; gently uneven.

South	On Eastern Boundary of Sec 36
13.50	a Run 7 links wide, course; Course W.
40.00	Set quarter Sec post from which a W Oak 8 in. diam. bears S 49 W 40 lks dist; & a L. 8 " " " S 49 W 27 " " "
53.00	a Run 6 links wide; Course S. W.

T. N° 3 LK N° 2 W 2<sup>nd</sup> M.

74.00	At Brook 20 lks wide; Course S.E.
80.00	Set first corner of Towns 3, 3 4, 4 Range 1 & 2 W. from which a Sugar tree 10 in. diam. bears S 44 E 19 lks dist; & a Do 14 " " " N 31 W 61 " " This mile hilly & moderate lands. Oak, Hickory, Gum &c Some Good bottom. LK about of Sugar tree &c.
South Boundary	
West	On Random line Between Towns 3 & 4 Range 2 W.
4.50	At Brook 15 lks wide; Course N.E.
40.00	Set temporary post.
40.00	Corrected and Established post at quarter Sec. Cor. from which a Buck 9 in. diam. bears N 57 E 8 lks dist. and a Do 16 " " " S 59 W 38 " dist.
80.00	Corrected & Established post corner of Sec. 35 & 36. T. 3 LK 2 W. from which a Sugar tree 7 in. bears N 46 W 51 lks dist; & a W. Oak 18 " " S 27 E 56 lks dist. This mile hilly & moderate lands mostly rising & descending lands. Timber W Oak, Hickory, Poplar, Sugar tree, Gum, Buck, &c. Variation 9° E. Wednesday 31 <sup>st</sup> July 1805.
West	On Random line Between Towns 3 & 4 Range 2 West
40.00	Set temporary post
40.00	Corrected back and Established quarter Sec. post. from which a Dogwood 6 in. diam. bears S 50 E 27 lks dist & a Poplar 6 " " " N 34 W 37 " " "
80.00	Set temporary
80.00	Corrected & Established post corner of Sec. 34 & 35 T. 3 LK 2 W from which a Dogwood 8 in. diam. bears S 31 E 30 lks dist. & a W. Oak 18 " " " N 22 W 28 " " This mile 2 <sup>nd</sup> rate land



T<sup>No</sup> 3 S. R. N<sup>o</sup> 2 W 2<sup>nd</sup> Mer.

gently rising and descending. Timber as last.

West	On Random line between Towns 3 and 4 S. R. 2 W.
40.00	Set temporary post
40.00	Corrected and established quarter section post from which a Logwood 6 in. diam. bears S 40 W 8 lks dist; & a Poplar 24" " " N 4 W 7" " "
80.00	Set temporary post
80.00	Corrected and established post corner of sec. 33 & 34 T <sup>3</sup> S. R. 2 W from which a Gum 9 in. diam. bears N 60 E. 31 lks dist. & a W Oak 21" " " S 26 W 14" " " This mile 2 <sup>nd</sup> rate land gently rising & descending; Timber W. Oak Hickory Poplar Gum etc.

West	On Random line between Towns 3 & 4 Range 2 West
.20	a Run 4 lks. more. Course N. W.
13.50	a Run 6 lks. more. Course N. W.
40.00	Set temporary post.
40.00	Corrected back and Established quarter sec. post from which a Birch 7 in. diam. bears N 46 E. 32 lks dist. & a Gum 10" " " N 60 W 30" " "
71.50	To a Brook 100 lks. wide; Course S. W.
80.00	Set temporary post
80.00	Corrected and established post corner of Sec. 32 & 33. T <sup>3</sup> S. Range N <sup>o</sup> 2 W. from which a Sugar tree 28 in. diam. bears N 5 W. 19 lks dist; & a W. Oak 18" " " S 22 E. 46. " " This mile mostly broken ridges; Oak, Hickory Poplar Birch; some 2 <sup>nd</sup> rate bottom on creeks; Sugar tree B & W Walnut Elm & many vines nettles &c

West On Random line between T<sup>3</sup> 3 & 4 Range 2 W.

London No 11

T<sup>No</sup> 3 S of R<sup>No</sup> 2 W 2<sup>nd</sup> Mer.

- 40.00 Set temporary post  
 39.90 Established quarter sec. corner from which a W Oak 7 in. diam. bears N 47 E 17 lks dist; a W Oak 10 " " " S 34 E 38 " "
- 72.00 Run 5 lks wide; Course South.  
 79.80 Intersected East Range line at post corner of Sections 10 & 12 T<sup>3</sup> S R<sup>2</sup> W. Hit the post.  
 This mile 2<sup>nd</sup> rate lands gently rising and descending. W Oak, Hickory & Dogwood; undergrowth briars Sassafras Vines &c.

South Between Sec. 11 & 12 T<sup>3</sup> S R<sup>2</sup> W.

- 7.00 A Run 6 lks wide; Course N.W.  
 40.00 Set half mile post from which a Dogwood 6 in. diam. bears N 15 E 8 lks dist; and a W Oak 16 " " " S 52 W 44 " "
- 61.14 W Oak 20 in. diam?  
 80.00 Set post corner of Sec. 11, 12, 13, 14 T<sup>3</sup> S R<sup>2</sup> W from which a W Oak 18 in. diam. bears S 32 E 62 lks dist; a Buck 14 " " " N 28 W 31 " "
- This mile 2<sup>nd</sup> rate lands, gently uneven. Timber W. Oak, Hickory, Poplar &c. Thick undergrowth.  
 July 26. 1805

East On Random line Between Sec. 12 & 13 T<sup>3</sup> S R<sup>2</sup> W

- 40.00 Set temporary post.  
 40.00 Established quarter sec corner from which a W Oak 9 in. diam. bears N 63 E 5 lks dist; a do do 12 " " " S 51 W 12 " "
- 65.00 A Run 6 lks wide Course N.E.  
 80.00 Intersected East Range line at a post cor of Sec. 12 & 13 T<sup>3</sup> S R<sup>2</sup> W. Full South of post 20 lks; This mile 2<sup>nd</sup> rate lands. Timber W Oak, Hickory & Poplar. Sugar tree & Buck. &c.

South Between Sec. 13 & 14 T<sup>3</sup> S R<sup>2</sup> W

T. No 3 S. R. No 2 W. 2<sup>nd</sup> (Mer.)

40.00	Set half mile post from which a W. Oak 10 in. diam. bears N 55 E. 22 lks dist. & a Gum 16 " "
	" N 43 W 40 " "
62.50	Run 6 links wide course S. W.
59.90	AW Oak 24 in. diam.
80.00	Set post corner of Sec. 13, 14 23, 24 T3 S. R. 2 W from which a Poplar 10 in. diam. bears N 78 E 37 lks dist. & a Gum 10 " " " S 44 W 53 " " This mile 2 <sup>nd</sup> rate land mostly rising & descending. Timber as above.
East	On Run down between Sec. 13 & 24 T3 S. R. 2 W
40.00	Set temporary post
40.10	Set gr. sec post from which a W. Oak 16 in. diam. bears S 60 E 21 lks dist. & a Leymord 7 " "
	" N 58 W 35 " "
80.20	Intersected East Range line at approx corner of Sec. 13, 24 T3 S. R. 2 W Fell South 15 lks This mile poor hilly land W Oak Hickory & July 27. 1805
South	Return Sec. 23 & 24 T3 S. R. 2 W
28.42	A Gum 20 in. diam.
40.00	Set half mile post from a W Oak 7 in. diam. bear. S 51 W 10 lks dist. & a Leymord 6 " "
	N 53 E 32 " "
59.82	AW Oak 18 in. diam.
80.00	Set post corner of Sec. 23 & 24 <sup>25 &amp; 26</sup> from which a Leymord 8 in. diam. bears N 31 W 19 lks dist. & a Gum 16 " " " S 11 E. 14 " "
	This mile good land mostly uniform Timber Oak. Hickory Leymord Poplar plenty of fruit hedge.
South	Return Sec. 25 & 26 T3 S. R. 2 W
18.62	AW Oak 15 in. diam.



T N° 3 S R N° 2 W 2<sup>nd</sup> Mer

29.00	A Run 5 links wide, course S E.
39.00	A Brook 15 " " " " S W.
40.00	Set half mile post from which a Sycamore tree 8 in. diam. N 54 W 14 links dist. & as S. 12
"	" " S 23 E 29 " "
80.00	Set post corner of Sec. 25, 26, 35, 36 from which an Oak 12 in. diam. S 25 W 41 and as S. 16 " " N 67 E 12 links dist. This mile 1 <sup>st</sup> rate upland, gently uneven timber w/ Oak Hickory, Poplar, Sycamore, & many Pines and shrubs.

South	Return Sec. 2 & 3.
19.59	an Oak 10 in. diam.
40.00	Set half mile post from which an Oak 14 in. diam. bears S 82 E 19 links dist. & S. 16 " " " " N 4 W 17
43.50	a Brook 15 links wide course W. N.
57.10	a Gum 8 in. diam.
80.00	Set post corner of sec. 2, 3, 10, 11 from which a Dogwood 8 in. diam. bears S 64 W 31 links dist. Poplar 10 " " " " N 71 E 40 " " " This mile broken stony ridges; timber Oak Hickory Birch, Sycamore, & undergrowth Pines Pines & Sassafras

West	On Run down between 3 & 10
40.00	Set temporary post.
40.00	Established quarter sec post from which a Oak 7 in. diam. bears N 71 E 23 links dist. & a Dogwood " " " " S 15 E 19 " "
59.83	Intersected Indian boundary at the post. This mile, hilly 2 <sup>nd</sup> rate upland. Oak Hickory &c July 28 1805

East On Run down line between Sec. 3 & 10.



40.00	Set temporary post.
40.00	Established quarter Sec post from which a W Oak 7 in. diam. bears N 71 E 23 links dist; and a Hogwood 6 in " " N 51 E 19 " " "
59.88	Intersected Indian Boundary at the post This mile 2 <sup>nd</sup> rate upland; Oak, Hickory &c July 28. 1805
East	On Random line between Sect. 2 & 11 T. 3 S. R. 2 W
40.00	Set temporary post
40.00	Established quarter Sec post from which a W Oak 12 in. diam. bears N 48 E 39 links dist; Dogwood 6 in " " N 39 W 33 " " "
42.00	Brook 12 links wide Course NW.
69.50	at Gun 6 in " " NW.
80.00	Intersected Meridian at a post corner of Sect. 11, 12, 13, 14 T. 3 S. R. 2 W. Hit the post This mile 2 <sup>nd</sup> rate lands gently uneven; Timber W. Oak, Hickory Chestnut; Undergrowth briars, Hazel & Sassafras
South	Between Sect. 10 & 11 T. 3 S. R. 2 W
40.00	Set half mile post from which a Poplar 8 in. diam. bears S 60 E 21 like dist; and a W Oak 12 in " " S 75 W 27 " " "
80.00	Set post corner of Sect. 10, 11, 14, 15: T. 3 S. R. 2 W from which a W. Oak 25 in. diam. bears S 11 W 27 links dist to Gun 12 in " " N 25 W 67 " " This mile 2 <sup>nd</sup> rate lands gently rising and descending; Timber W. Oak, Hickory Poplar & Hogwoods. &c
East	On Random line between Sect. 11 & 14 T. 3 S. R. 2 W
32.50	Run Chalky mile; Course South.
40.00	Set temporary post.
40.00	Established quarter Sec. corner from which a

T. N° 3 S. R. N° 2 W 2<sup>nd</sup> Mer

	<p>Beck 15 in. diam. bears S 59 W 13 links dist. S          do. 21 " " " N 62 W 45 " "</p>
76.00	Spring run 3 links wide; Course S. W.
80.00	Intersected N. & S. line at post, corner of Sec. 11, 12, 13, 14 This mile Hilly 2 <sup>nd</sup> rate land Timber W. Oak Hickory, Gum & Beech. &c.
South	Between Sec. 14 & 15 T. 3 S. R. 2 W.
40.00	Set half mile post from which a W. Oak 14 in. diam. bears S 77 W 31 links dist. to do. 6 "
	" " N 39 E 7 links dist
80.00	Set post corner of Sec. 14 & 15 22 & 23 T. 3 S. R. 2 W from which a W. Oak 14 in. diam. bears N 25 E 33 links dist; Gum 9 " " " S 37 W 24 " " This mile Heavy ridged; Sand poor. Oak. Hickory & Gum &c
East	On Random line Between Sec. 14 & 23 T. 3 S. R. 2 W
17.00	Brook 25 links wide; Course S.
40.00	Set temporary post
40.00	Established quarter Sec. post from which a Logwood 7 in. diam. bears N 46 E 67 links dist; do 5 " " " S 33 W 36 "
	"
53.00	A Run 8 links wide; Course N. W.
80.00	Intersected N. & S. line at post corner of Sec. 13 & 14, 23, 24 T. 3 S. R. 2 W. West the post This mile broken land, Timber W. Oak Hickory and Logwood &c
South	Between Sec. 22 & 23 T. 3 S. R. 2 W
15.00	A Brook 25 links wide; Course S. W.
40.00	Set quarter Sec post from which a Beech 16 in. diam. bears S 42 W. 27 links dist. do 12 " " " N 42 E. 45 " "
52.50	A Run 6 links wide Course N. W.

## T. No 3 S. R. No 2 W 2nd Mer.

54.45 A Poplar 30 in. diam?

68.00 Spring and quarry.

86.00 Set post corner of sec. 22, 23, 26 & 27 T 3 S. R. 2 W  
from which a W. Oak 22 in. diam. bears S 39 E 62 lks  
dist; & a Do 20 " " " N 53 W 43 "

" July 29. 1805

This mile hilly 2nd rate lands. Timber W. Oak Poplar  
Sugar tree, Buck & many vines and subog c.

South Between Sec. 26 &amp; 27

40.00 Set half mile post; from which a W Oak 9 in. diam.  
bears S 9 W 24 lks dist; & a Do 7 " "  
" N 15 E 39 " "

52.57 Spring runs course East

80.00 Set post corner of sec. 26, 27, 34, 35 T 3 S. R. 2 W  
from which a W Oak 9 in. diam. bears N 42 E. 32  
lks dist; & a Do. 8 " " " S 40 W 8  
" " : This mile 2nd rate lands; greatly rising  
& descending; Timber W. Oak, Oak Hickory, Poplar,  
W. Oaks Gum &c.South from the Indian boundary  
Between Sec. 9 & 10 T 3 S. R. 2 W

2.00 At Brook 20 links mile. Course S W.

20.70 Set post corner of sec. 9, 10, 15, 16. T 3 S. R. 2 W  
from which a W. Oak 24 in. diam. bears N 41 E 28  
lks dist; & a Dogwood 7 " " " S 69 W 24  
" " Broken lands; Timber Oak, Hickory,  
Buck Gum &c

West On Indian line between sec. 10 &amp; 15 T 3 S. R. 2 W

40.00 Set temporary post

40.00 Establish quarter sec. post; at Buck 12 in. diam  
bears. N 72 E 33 lks dist; & a Wash 15 " "  
" S 69 W 37 " "80.07 Intersection of S. line at a post corner of sec  
9, 10, 15, 16. T 3 S. R. 2 W. Full North 85 links

D3 A R 2 M 2<sup>nd</sup> Mar.

West	Between Sec. 9 & 16 6.07 Intersected Indian Boundary This hilly 2 <sup>nd</sup> rate land; Oak Hickory Gum &c.
South	Between Sec. 15 & 16 T3 R2W 40.00 Set quarter sec. post from which a Poplar 6 in. diam. bears S75 E 17 lks dist. Gum 18 " " " S73 W 37 " 62.50 A Run 8 fms mid; Course S.E. This mile 2 <sup>nd</sup> rate land, gently rising and descend- ing; Timber M Oak, Hickory Gum, Poplar, Ash &c; a thick undergrowth of briars vines &c. 80.00 Set post corner of Sec. 15, 16, 21, 22 T3 S. R2W from which a Sugar 8 in. diam. bears N52 E 62 lks dist; & a Dogwood " " S55 W 37
West	On Random between Sec. 16 & 21 T3 S. R2W 29.30 Intersected Indian Boundary, fell North 70 duits; Hilly land, Oak Hickory &c.
East	On Random line, between Sec. 15 & 22 T3 S. R2W 14.00 A Run 7 lks mid; Course South 40.00 Set temporary post 40.00 Established quarter sec. post from which a M. Oak 14 in. diam. N43 E 17 lks dist; & a L.O. 8 " " S49 W 41 " 80.00 Intersected N & S. line at post corner of Sec. 14, 15, 22, 23 T3 S. R2W. put the post This mile mostly poor stony mid; Oak Hickory Dog- wood; undergrowth Briars Passiflora & many vines. Some good bottom on Run.
North	Between Sec. 21 & 22 T3 S. R2W 30.01 A Run 5 lks mid; Course S.E. 40.00 Set quarter sec. post from which a Sugar tree 10 in. diam. bears N40 E 26 lks dist; & a M Oak



## T. N. 3 E. R. N. 2 W. 2nd sec. 2

	18 in. diam. bears S 32 W 24 links dist.
60.30	a W Oak 16 in. diam.
65.00	a Brook 40 links wide; course S. W.
80.00	Set post corner to Sect. 21, 22, 27, 28, T3 E. R. 2 W from which a W Oak 20 in. diam. bears N 45 W 52 links dist. & a Poplar 21 " " " S 71 E 27 This mile hilly 2 <sup>nd</sup> rate land. Timber W Oak, Poplar, Sugar tree, Gum &c.
West	Between Sect. 21 & 28 T3 E. R. 2 W
7.50	a Spring South of the line.
14.00	a Brook 40 links wide, course South
40.00	Set temporary post
40.00	Established quarter Sec. post from which a Gum 16 in. diam. bears N 31 E. 30 links dist. & a Logwood 7 " " " S 67 W 21 " "
54.10	Indian boundary - full South of line 20 links. Kildys 2 <sup>nd</sup> rate land. Timber W Oak, Poplar, Sugar tree, Gum &c. July 30 1805
East	On Kandan between Sect. 22 & 27 T3 E. R. 2 W
20.00	To a Gum 12 links wide. course N. W
40.00	Set temporary post.
40.00	Established quarter Sec. post from which a W Oak 6 in. diam. bears S 37 E. 23 links dist. & a L <sup>o</sup> 20 " " " N 33 W 17 " "
80.00	Intersected N. S. line at a post corner of Sect. 22, 23, 26, 27 T3 E. R. 2 W This mile hilly 2 <sup>nd</sup> rate land Timber W Oak, Poplar, Sugar tree, Gum & undergrowth Passiflora, Hops, many vines
South	Between Sect. 27. & 28 T3 E. R. 2 W
18.81	a Gum 18 in. diam.
39.00	a Gum 6 links wide; course S. W.
40.00	Set half mile post; from which a Sugar tree 7 in. diam. bears S 3 W 8 links dist. & a L <sup>o</sup> 10 " "



T. No 3. S. R. No 2W 2<sup>nd</sup> Mer

58.09	N 39 E 9 links dist
80.00	at W Oak 18 in. diam.
	Set post corner of sec. 27, 28, 33, 34 T3 S R 2W
	from which a W Oak 20 in. diam. bears N 26 W
	11 links dist; + a L. 16 " " " S 70 E.
	13 " " This mile hilly 2 <sup>nd</sup> rate land
	Timber W Oak, Poplar, Sugar tree, & Summits
East	On Random line between sec. 28 & 33 T3 S R 2W
17.50	at Brook 60 links wide corner S.
40.00	Temporary post
35.00	Corrected and Established quarter Sec post
	from which a W Oak 14 in. diam. bears N 12 W
	28 links dist; + also 16 " " " N 40 E.
	29 " " "
70.00	Intersected Meridian at a post corner of sec. 27,
	28, 33, 34, full width of post 40 links This
	mile broken land timber Oak, Hickory &c
South	Between Sec. 28 & 29 T3 S R 2W
25.60	Set post at Intersecting corner of sec. 28, 29
	32, 33. T3 S R 2W from which a W Oak 18 in.
	diam. bears N 30 E. 51 and a W Oak 21 "
	" " S 29 E 50 links dist.
East	Between Sec. 29 & 32 T3 S R 2W
8.81	Intersected N & S line at corner of sec. 28, 29, 33
	+ 33 T3 S R 2W Broken land Oak Bucky
	poplar
East	On Random line between sec. 27 & 34 T3 S R 2W
40.00	Set temporary post
40.00	Established quarter Sec corner, from which
	a Sassafras 8 in. diam. bears N 84 E 18 links
	dist and a Sassafras 10 in. diam. bears S 73 W
	4 links dist

T<sup>h</sup> 3<sup>d</sup> S. R. N<sup>o</sup> 2<sup>d</sup> W 2<sup>nd</sup> Mer.

02.00	Along side of a run 10 links wide Course South.
80.00	Intersected North and South line at post corner of Sec. 26, 27, 34 & 35 T <sup>h</sup> 3 <sup>d</sup> S. R. N <sup>o</sup> 2 <sup>d</sup> W. Willy 2 <sup>nd</sup> rate lands; Oak Hickory Sassafras, Gum Sycamore, &c.
East	On Random line between Sec. 23 & 26 T <sup>h</sup> 3 <sup>d</sup> S. R. 2 <sup>d</sup> W.
33.00	Along 5 links wide; Course South.
40.00	Set temporary post
39.75	Set quarter Sec. post from which a Gum 10 ins. diam. bears N 25 E. 31 lks dist; & a Cherry 6 " "
	" 970 W 15 " "
79.50	Intersected N & S line at a post corner of Sec. 23 & 24, 25, 26 T <sup>h</sup> 3 <sup>d</sup> S. R. 2 <sup>d</sup> W. This mile 2 <sup>nd</sup> rate lands gently rising and descending; Timber W Oak, Hickory, Beech, Sycamore, Poplar &c.
East	on Random line between Sec. 24 & 25 T <sup>h</sup> 3 <sup>d</sup> S. R. 2 <sup>d</sup> W.
10.50	Along 10 links wide; Course South.
28.00	Along quarry N. of line.
40.00	Set temporary post
40.10	Set quarter Sec. post from which a B. Oak 8 ins. diam. bears, N 33 W 33 lks dist; & a W Oak 7 "
	" " N 65 E 43 " "
80.20	Intersected East Range line at a post corner of Sec. 24 & 25 T <sup>h</sup> 3 <sup>d</sup> S. R. N <sup>o</sup> 2 <sup>d</sup> W. full South 20 links; This mile 2 <sup>nd</sup> rate land, gently rising & descending; Timber Oak, Hickory, Ash, Poplar Sycamore &c.
South	Between Sec. 35 & 36 T <sup>h</sup> 3 <sup>d</sup> S. R. 2 <sup>d</sup> W.
40.00	Set quarter Sec. post from which a Gum 6 ins. diam. bears N 24 W 34 lks dist; & a Do 8 " "
	" 920 E 31 " "
80.00	Intersected line between Towns 3 & 4 R. 2 <sup>d</sup> W. West the post; This mile 2 <sup>nd</sup> rate lands gently rising

T. N<sup>o</sup> 3 S. R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer.

and descending; Timber W Oak Hickory Poplar  
Gum & many ornis August 1<sup>st</sup> 1805

South	Between Sect. 34 & 35 T. 3 S. R. 2 W.
10.00	Brook 21 lks wide; Course S.W.
18.57	W Oak 15 in. diam?
32.00	Run 6 lks wide; Course W.W.
40.00	Set quarter Sec. post from which a W Oak 6 in. diam. bears S 42 E 16 lks dist; Logans 6
	" " " N 38 W 29 " "
79.44	Intersected line between Towns 3 & 4 R 2 W Hit the post at corner of Sect. 34 & 35
South	Between Sect. 33 & 34 T. 3 S. R. 2 W.
28.96	A Sugar tree 10 in. diam?
31.50	A Brook 25 lks wide; Course W.
40.00	Set quarter Sec. post from which a Gum 12 in. diam. bears N 17 E 14 lks dist; tall Oak 8
	" " " S 54 W 16 " "
79.00	Intersected line between Towns 3 & 4 R 2 W This mile broken stony ridges; Timber W Oak, Poplar, Gum. Sugar tree, Birch, &c
South	Between Sect. 32 & 33 T. 3 S. R. 2 W.
40.00	Set quarter Sec. post from which a Sugar tree 6 in. diam. bears S 70 W. 24 lks dist; Hickory
	6 " " " N 62 E. 11 " "
62.00	Run 25 lks wide; Course S.W.
72.50	To a brook 100 lks wide; Course S.W.
78.70	Intersected line between Towns 3 & 4 S. R. 2 W. and set post corner of Sect. 32 & 33 from which a Birch 18 in. diam. bears N 66 W 31 lks dist; do 8 " " " N 51 E 34 " "
	fell East of post 10.84 This mile generally broken stony ridges; Timber W Oak, Hickory &c. Some 2 <sup>nd</sup> rate bottom on Brook; Sugar

T<sup>N</sup> 3 S R 2 W 2<sup>nd</sup> Mer.

	Beech, Poplar, Walnut &c
East	On Random line between Sec. 26 & 35
18.50	Run 12 links wide; Course S.W.
40.00	Set Temporary post.
39.65	Corrected and set quarter Sec. post from which a Logwood 6 in. diam. bears N 54 W 20 lks dist. a Gum 12 " " " S 51 E 18 " "
79.30	Intersected N of S line at a post corner of Sec. 25, 26, 35, 36 T <sup>3</sup> S R 2 W. Fell South 30 lks This mile 2 <sup>nd</sup> rate land; Timber W Oak, Hickory Poplar Gum &c Thick underwood, many vines
East	On Random line between Sec. 25 & 36 T <sup>3</sup> S R 2 W
36.00	Run 5 lks wide; Course S.W.
40.00	Set temporary post
39.63	Corrected & Established quarter Sec. post from which a W Oak 21 in. diam. bears N 45 E 56 links dist. do 9 " " " S 69 W 24 " "
79.46	Intersected East Range line corner of Sec. 25, 36 T <sup>3</sup> S R 2 W Fell South of post 73 links This mile 2 <sup>nd</sup> rate land; gently rising and descend- ing; Timber W Oak, Poplar, Beech, Gum &c August 2 <sup>nd</sup> 1805
West	Between Sec. 6 & 7
40.00	Set quarter Sec. post; from which a W Oak 11 in. diam. bears N 42 W 10 lks dist; & a Logwood " " " " S 42 E 13 " "
80.00	To post corner to Sec. 6 & 7. T <sup>3</sup> S R 2 W Willy 2 <sup>nd</sup> rate land; Timber Beech & Oak
South	Between Sec. 3 & 4
9.40	W Oak 17 in. diam.
40.00	Set quarter Sec. post; from which a W Oak 40 in. diam. bears N 49 E 20 lks dist; & Logwood 5



I. No 3 S. R. No 2 N 2<sup>nd</sup> Mer.

	int diam? bears S 33 E 10 Mts dist.
43.25	all Oak 12 int diam?
80.00	Set post corner to Sect. 3, 4, 9, 10. a Gum. 18 int diam? bears N 11 E 13 Mts dist; Poplar 8 " " " S 64 E. 16 " " Hilly 2 <sup>nd</sup> rate lands; Timber Buck & Oak.
West	From post on Freeman's line between Sect. 3 & 10
20.00	To post corner of Sect. 3, 4, 9, 10 Hilly 3 <sup>rd</sup> rate; Timber Oak &c.
South	Between Sect. 9 & 10
40.00	Set post; a Poplar 30 int diam? bears N 16 E 12 links dist; & a W Oak 18 " " " S 75 W 30 " "
59.00	To F line. Set post corner to Sect 9 & 10. a Buck 7 int diam? bears N 61 E 23 Mts dist. & a Do 7 " " " S 38 W 12 " " Hilly brushy &c 3 <sup>rd</sup> rate;
West	Between Sect. 9 & 16 from a post on the Indian Boundary
34.00	Set post; an Ironwood 7 int diam? bears N 10 W 3 links dist; & a W Oak 18 " " " N 16 E 15 " "
60.00	At Run 5 links mid; Course South.
74.00	To post corner to Sect. 8, 9, 16, 17 Hilly lands 2 <sup>nd</sup> rate New 6 <sup>th</sup> 1804
West	Between Sect. 8 & 17
40.00	Set post; a Logwood 7 int diam? bears N 2 E 25 Mts dist; & a Hick 7 " " " S 54 W 5 " "
80.00	To post corner to Sect. 7, 8, 17, 18 Land and timber as above



## T No 3 of R. N. M. 2nd Mar.

South	Between Sect. 17 & 18
34.40	AW Oak 18 int. diam.
40.00	Set post; AW Oak 8 int. diam. bears N 19 E 12 11 lbs dist; + a L. 8 " " " S 48 W 32
48.00	ABum 51 lbs wide; Course S 70 W
56.50	AW Oak 18 int. diam.
80.00	To B Jack 11 int. diam. Corner Tree. Willy 3000 rate; Oak, Logrood 12.
South	Between Sect. 19 & 20.
13.50	AW Oak 3 feet diam.
40.00	Set post; a Gum 8 int. diam. bears N 7 W 37 lbs dist; " L. " " " " S 11 E 15 " "
51.00	AB. Oak 18 int. diam.
80.00	Set post corner to Sect. 19, 20, 29, 30. from which a Gum 8 int. diam. bears N 18 lbs dist + a Logrood. " " " S 18 W 14 " " Sands and timber as above
South	Between Sect. 29 & 30
16.00	AGum 18 int. diam.
40.00	Set post; a R Oak 24 int. diam. bears N 13 lbs dist; + a W. Oak 15 " " " S 14 E 19 lbs dist;
51.00	AR Oak 30 int. diam.
80.00	Set post corner to Sect. 29, 30, 31 & 32 from which a W. Oak 11 int. diam. bears N 68 E. 17 lbs dist + a L. 11 " " " N 53 W 28 " " Willy poor Oak Sands.
South	Between Sect. 31 & 32
27.50	AW Oak 20 int. diam.
40.00	Set post; from which a W Oak 20 int. diam. bears N 67 W 20 lbs dist + a Gum 8 " "

T. No. 3 S. R. No. 2 M 2<sup>nd</sup>. (Mer.)

	bears S 80 E 13 links dist;
63.80	a Poplar 20 in. diam.
80.00	Set post, from which a R. Oak 30 in. diam.
	bears N 6 W 40 lbs dist; tall Oak 6 " "
	" S 42 W. 8 " "
West	Between Sect. 30 & 31
40.00	Set post; from which a W. Oak 18 in. diam.
	bears East 20 links dist; B. Oak 11 " "
	" South 20 " "
80.00	To post corner to Sect. 30 & 31.
	Land ends timber as above.
West	Between Sect. 5 & 8.
40.00	Set post; from which a Dogwood 7 in. diam.
	bears N 87 W 30 lbs dist; tall " " "
	" N 68 E 8 " "
80.00	To post corner to Sect. 5, 6, 7, 8,
	Willby 3 <sup>rd</sup> rate. Timber Oak, Dogwood &c
South	Between Sect. 4 & 5
19.00	a Poplar 24 in. diam.
40.00	Set post; from which an Ironwood 7 in. diam.
	bears S 11 E. 19 lbs dist; tall Oak 7 " "
	" N 7 E 11 " "
66.80	an Oak 2 ft diam.
81.00	Set post from which a Dogwood 7 in. diam.
	bears N 74 E 21 lbs dist; Poplar 20 " "
	" S 74 W 4 " " Willby Buck 2 <sup>nd</sup> rate land
South	Between Sect. 8 & 9
19.00	an Oak 20 in. diam.
40.00	Set quarter post; an Oak 23 in. diam.
	bears S 8 W 15 links dist; a Dogwood 7 " "
	" N 8 W 20 " "
66.60	an Oak 12 in. diam.

80.00	Set post; a Gum 20 int. diam. bears S45 W 10 links dist; + a P. Oak 24 " " " N45 E 4 " " Willy Oak lands; 2 <sup>nd</sup> rate.
South Return Sect. 16 & 17	
14.00	APR 50 lks wide; corner West
40.00	Set post; from which a W Oak 18 int. diam. bears S 6 W. 24 lks dist; + a P. Oak 23 " " " N48 E. 16 " "
72.50	W Oak 10 int. diam.
80.00	Set post; from which a P. Oak 7 int. diam. bears N 6 W 12 lks dist; + an Ironwood 5 " " " S 26 W 15 " " Willy 2 <sup>nd</sup> rate; Oak & Logwood
South Return Sect. 20 & 21.	
28.00	AP. Oak 18 int. diam.
40.00	W Oak 7 " " corner to quarter Sec.
62.80	" " " 18 " "
80.00	Set post; from which a Gum 30 int. diam. bears N 36 W 8 lks dist; a L. 12 " " " S 36 E 27 " " Willy 3 <sup>rd</sup> rate; Oak & c.
South Return Sect. 28 & 29.	
28.50	W Oak 20 int. diam.
40.00	Set quarter Sec. post; from which a Sugar 8 int. diam. bears S 51 W 6 links dist. + L. 8 " " " N 28 E. 28 " "
54.00	Set post on Freeman's line; from which a W Oak 30 int. diam. bears S 47 E 11 links. + a Gum 18 " " " N 47 W 11 " " Lands and timber as above.
West Return Sect. 29 & 32 from the Indian Boundary	
31.50	Set quarter Sec. post from which a W Oak 8 int. diam. bears N 22 E 12 links dist; L. " " " N 69 E 19 " "

T3 SR 2 W 2<sup>nd</sup> Mer.

71.50	To first corner to Sec. 29, 30, 31, 32, Land and timber as above.
West	Between Sec. 20 & 29.
40.00	Set post; from which a W Oak 18 in. diam. bears N 76. W 27 links dist; & a Ho. — — — N 55 E 36. — —
80.00	To first corner to Sec. 21, 19, 30, 29. Land & fully 3 <sup>rd</sup> rate; Oak &c.
West	Between Sec. 21 & 28 from post on F. line.
17.40	To first corner to Sec. 21, 20, 29, 28 Land and timber same as above.
West	Between Sec. 17 & 20
40.00	Set post; a B Oak 14 in. diam. bears S 30 E 18 links dist; & a Gum 18 — — — N 29 E 16 — —
80.00	To first corner to Sec. 17, 18, 19, 20. Land & soil timber &c same as above.
West	Between Sec. 21 & 16 from the Indian Boundary
6.00	Set quarter Sec. post; from which a Gum 7 in. diam. bears S 29 E 17; links dist; & a Logwood — — — N 29 E 11 links dist;
46.00	To first corner to Sec. 16, 17, 20, 21 Land & soil of timber &c. as above.
West	Between Sec. 4 & 9
40.00	Set post; a Logwood 7 in. diam. bears S 50 W 12 links dist; a W Oak 24 — — — N 58 E 40 — —
80.00	To first corner to Sec. 4, 5, 8 & 9. Fully 2 <sup>nd</sup> rate land Timber 1 Buck &c Decem <sup>r</sup> 9 <sup>th</sup> 1804.
*	For Omissions, See next page

T. 3 S., R. 2 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

~~I certify that the foregoing transcript of the field notes of Township No 3 S. R. 2 W. 2<sup>d</sup> Mer. of the 2<sup>nd</sup> Mer. Indiana, has been compared with the original in this Office and found to be correct.~~  
 Surveyor General's Office,  
 Cincinnati, August 26. 1839

- \* South Between Secs. 5 & 6, T. 3 S. R. 2 W. 2<sup>d</sup> Mer.  
 40.00 At the q. Sec. post, from which  
     a Beech 28 in. dia. bear S 74 W 45 lbs. dist. 7  
     a Sugar tree 12 " " " N 59 E 35 " "  
 58.70 a W. Oak 8 in dia.  
 80.00 At a post Cor. to Secs. 5, 6, 7, 8, from which  
     a W. Oak 10 in dia. bear S 40 W 8 lbs. dist. 7  
     a Dogwood 6 " " " N 38 W 20 " "  
 3<sup>d</sup> rate Beech & Oak hills

- South Between Secs. 7 & 8  
 30.00 a W. Oak 10 in dia.  
 40.00 At the q. Sec. post, from which  
     a W. Oak 8 in. dia. bear N 4 W 8 lbs. dist. 7  
     a Dogwood 8 " " " S 6 E 10 "  
 80.00 At a post Cor. to Secs. 7, 8, 17 & 18, from which  
     a Beech 9 in. dia. bear N 2 W 9 lbs. dist. 7  
     a Do 9 " " " N 79 W 14 " "  
 3<sup>d</sup> rate Beech & Oak hills

- West Between Sections 19 & 30  
 40.00 At the q. Sec. post Cor. to Secs. from which  
     a Dogwood 8 in. dia. bear N 4 W 10 lbs. dist. 7  
     a Do 10 " " " N 7 E 5 " "  
 80.30 Intersected at Barber's post  
 Poor hills Oak & Dogwood

West Between Secs. 18 & 19, T. 3 S. R. 2 W.



T3S R2W 2<sup>d</sup> Mer. Ohio

30.00 a run 15 lks. wide Cr. South  
 40.00 at the q. Sec. post no timber  
 80.30 Intersected W. boundary at Barber's post  
 Postland, a few Beech (trees) near Barber's line

Next Between Secs. 7 & 18, T3S R2W

40.00 an Oak 10 in. dia. Cov. tree  
 80.20 Intersected at Barber's post  
 3<sup>d</sup> rate Oak & Beech hills.

Surveyed by Lupper & Stone

I Certify that foregoing transcript of field notes of  
 Township N. 3 South of Range 2 West 2<sup>d</sup> Principal Mer.  
 Indiana has been compared with the original in this  
 Office & found to be correct.

Surveyor General's Office

Cincinnati Aug. 20. 1839

E. S. Seares  
 Secy